

Kane Co.
(Kaneh
1:100K)

Ref. 536

traced out
+ then returned to 1:100K
Clear Creek 7 1/2

Clear Creek



64

64


64

63

slide
43003

slide

43002




6021

₹ 1:24,000

64 64 67

600d
on
right

95




64

64

67

8



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

CLEAR CREEK MOUNTAIN QUADRANGLE
UTAH-KANE CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)

Maped, edited, and published by the Geological Survey
Control by USGS and NOS/NOAA
Topography by photogrammetric methods from aerial photographs
taken 1973. Field checked 1974. Map edited 1980
Projection and 10,000-foot grid ticks: Utah
coordinate system, south zone (Lambert conformal conic)
1000-meter Universal Transverse Mercator grid, zone 12
1927 North American datum
To place on the predicted North American Datum 1983
move the projection lines 6 meters north and
68 meters east as shown by dashed corner ticks
Fine red dashed lines indicate selected fence lines
There may be private inholdings within the boundaries of the
National or State reservations shown on this map

SCALE 1:24 000
CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

ROAD CLASSIFICATION
Primary highway, hard surface
Secondary highway, hard surface
Unimproved road
Interstate Route
U. S. Route
State Route

Property of
UTAH GEOLOGICAL & MINERAL SURVEY

CLEAR CREEK MOUNTAIN, UTAH
N3715-W11245/7.5
1980
DMA 3458 IV SE-SERIES V897